

MATERIAL SAFETY DATA SHEET

COMMAND® 3 ME MICROENCAPSULATED HERBICIDE



MSDS Ref. No.: 81777-89-1-6

Date Approved: 06/03/2010

Revision No.: 15

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200 and Canada's Workplace Hazardous Materials Information System (WHMIS) requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	COMMAND® 3 ME MICROENCAPSULATED HERBICIDE
PRODUCT CODE:	1693; 6270
ACTIVE INGREDIENT(S):	Clomazone
CHEMICAL FAMILY:	Herbicide
MOLECULAR FORMULA:	$C_{12}H_{14}ClNO_2$ (clomazone)
SYNONYMS:	FMC 57020; 2-(2-chlorophenyl)methyl-4,4-dimethyl-3-isoxazolidinone; IUPAC: 2-(2-chlorobenzyl)-4,4-dimethyl-1,2-oxazolidin-3-one; 2-(2-chlorobenzyl)-4,4-dimethylisoxazolidin-3-one
ALTERNATE PRODUCT NAME(S):	Command® 360 ME, Command® 36 CS, Command® 360 CS, Command® CS, Centium™ 36 CS, Cirrus™ 36 CS, Cirrus™ CS, Gamit® 36 CS, Gamit® 360 CS, Gamit® CS, Magister CS

MANUFACTURER

FMC CORPORATION
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103
(215) 299-6000 (General Information)
msdsinfo@fmc.com (Email - General Information)

EMERGENCY TELEPHONE NUMBERS

(800) 331-3148 (Medical - U.S.A. & Canada)
(651) 632-6793 (Medical - Collect - All Other Countries)

For leak, fire, spill, or accident emergencies, call:
(800) 424-9300 (CHEMTREC - U.S.A. & Canada)
(703) 527-3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

- Brown liquid with a slightly aromatic hydrocarbon odor.
- Slightly combustible. May support combustion at elevated temperatures.
- Thermal decomposition and burning may form toxic by-products.
- For large exposures or fire, wear personal protective equipment.

- Highly to slightly toxic to fish and aquatic organisms. Keep out of drains and watercourses.

POTENTIAL HEALTH EFFECTS: Effects from overexposure result from coming into contact with the skin and eyes. Symptoms of overexposure include nasal discharge.

MEDICAL CONDITIONS AGGRAVATED: None presently known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Wt. %	EC No.	EC Class
Clomazone	81777-89-1	31.4	None	Xn - N; R20/22-R50/53
Polymeric Isocyanates	9016-87-9	1 - 5	None	Not classified
Calcium Chloride	10043-52-4	1 - 5	233-140-8	Xi; R36

4. FIRST AID MEASURES

EYES: Flush with plenty of water. Get medical attention if irritation occurs and persists.

SKIN: Wash with plenty of soap and water.

INGESTION: Rinse mouth with water. Dilute by giving 1 or 2 glasses of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, contact a medical doctor.

NOTES TO MEDICAL DOCTOR: This product has low oral, dermal and inhalation toxicity. It is non-irritating to the eyes and skin. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Foam, CO₂ or dry chemical. Soft stream water fog only if necessary. Contain all runoff.

FIRE / EXPLOSION HAZARDS: Slightly combustible. This material may support combustion at elevated temperatures.

FIRE FIGHTING PROCEDURES: Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapors generated.

FLAMMABLE LIMITS: Not available

6. ACCIDENTAL RELEASE MEASURES

RELEASE NOTES: Isolate and post spill area. Wear protective clothing and personal protective equipment as prescribed in Section 8, "Exposure Controls/Personal Protection". Keep unprotected persons and animals out of the area.

Keep material out of lakes, streams, ponds and sewer drains. Dike to confine spill and absorb with a non-combustible absorbent such as clay, sand or soil. Vacuum, shovel or pump waste into a drum and label contents for disposal.

To clean and neutralize tools and equipment, wash with a 20% solution of potassium hydroxide in methanol. Follow by washing with strong soap and rinsing with water, and add both solutions to the drums of waste already collected.

To clean and neutralize spill areas, spray the area with a 20% solution of potassium hydroxide in methanol. Cover the treated area with plastic and let stand for 24 hours. Remove the covering and place in a drum for later disposal. Wash the area, three times, with a strong soap and rinse with water. If spill occurs on a wooden surface, repeat the entire process again. Absorb, as above, any excess liquid and add to the drums of waste already collected. Dispose of drummed waste according to the method outlined in Section 13, "Disposal Considerations".

7. HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a cool, dry, well-ventilated place. Do not use or store near heat, open flame or hot surfaces. Store in original containers only. **STORE ABOVE -4°F (-20°C) TO KEEP PRODUCT FROM FREEZING.** If frozen, thaw before reuse. For re-circulation directions, refer to the product label under "Mixing and Handling" instructions, for "Bulk/Mini-Bulk Containers". Keep out of reach of children and animals. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Chemical Name	ACGIH	OSHA	Supplier
Calcium Chloride			10 mg/m ³

ENGINEERING CONTROLS: Use local exhaust at all process locations where vapor or mist may be emitted. Ventilate all transport vehicles prior to unloading.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For splash, mist or spray exposure, wear chemical protective goggles or a face shield.

RESPIRATORY: For splash, mist or spray exposures wear, as a minimum, a properly fitted half-face or full-face air-purifying respirator which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable certification organization). Respirator use and selection must be based on airborne concentrations.

PROTECTIVE CLOTHING: Depending upon concentrations encountered, wear coveralls or long-sleeved uniform and head covering. For larger exposures as in the case of spills, wear full body cover barrier suit, such as a PVC suit. Leather items - such as shoes, belts and watchbands - that become contaminated should be removed and destroyed. Launder all work clothing before reuse (separately from household laundry).

GLOVES: Wear chemical protective gloves made of materials such as nitrile or Viton® brand. Thoroughly wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

WORK HYGIENIC PRACTICES: Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum, or using tobacco. Shower at the end of the workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR:	Slight aromatic
APPEARANCE:	Brown liquid
AUTOIGNITION TEMPERATURE:	Not available
BOILING POINT:	Not available
COEFFICIENT OF OIL / WATER:	Not available
DENSITY / WEIGHT PER VOLUME:	Not available

EVAPORATION RATE:	Not available
FLASH POINT:	> 94 °C (> 201 °F) (TOC)
FREEZING POINT:	Not available
MOLECULAR WEIGHT:	239.7 (clomazone)
ODOR THRESHOLD:	Not available
pH:	6.5 @ 20°C
SOLUBILITY IN WATER:	Disperses
SPECIFIC GRAVITY:	Not available
VAPOR PRESSURE:	Not available

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID:	Excessive heat and fire.
STABILITY:	Stable
POLYMERIZATION:	Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide and/or carbon dioxide, oxides of nitrogen, chlorine and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Non-irritating

SKIN EFFECTS: Non-irritating

DERMAL LD₅₀: > 5,000 mg/kg (rat)

ORAL LD₅₀: > 5,000 mg/kg (rat)

INHALATION LC₅₀: > 5.21 mg/l (4 h) (rat) Maximum attainable concentration - zero mortality

ACUTE EFFECTS FROM OVEREXPOSURE: This product has low oral, dermal and inhalation toxicity. It is non-irritating to the eyes and skin. Signs of toxicity noted in laboratory animals included abdominogenital staining, chromorhinorrhea, chromodacryorrhea, decreased locomotion, dyspnea, diarrhea, and oral and nasal discharge. Calcium chloride may cause moderate to severe eye irritation, which may result in corneal injury. Prolonged or repeated exposure of calcium chloride, on the skin, may cause skin irritation or even burns; the severity of skin irritation may increase on damp or abraded skin.

CHRONIC EFFECTS FROM OVEREXPOSURE: No data available for the formulation. In studies with laboratory animals, clomazone did not cause reproductive toxicity, teratogenicity, or carcinogenicity. Liver enlargement and elevated cholesterol levels are often noted in

laboratory animals that have ingested large doses of clomazone during their lifespan. An overall absence of genotoxicity has been demonstrated in tests of mutagenicity, DNA damage and chromosome aberrations.

CARCINOGENICITY:

NTP:	Not listed
IARC:	Not listed
OSHA:	Not listed
OTHER:	(ACGIH) Not listed

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Clomazone has a moderate rate of degradation in soil (half-life = 24 days), and is stable to hydrolysis over a wide range of pH. The bioconcentration potential for clomazone is low, with a Log Pow of 2.5, and a measured bioconcentration factor (BCF) of 27 - 40. Field studies showed that clomazone does not significantly leach below 15 cm in soil and is, therefore, not expected to enter groundwater.

ECOTOXICOLOGICAL INFORMATION: Command 3 ME:

Freshwater fish: 96-hour LC50 = 592.7 (Rainbow trout) (low toxicity)
Freshwater invertebrates: 48-hour EC50 = 491.3 mg/L (Daphnia) (low toxicity)
Freshwater aquatic plants: EC50 = 681.47 mg/L (Duckweed) (low toxicity)
Algae, 96-hour EbC50 = 160.85 mg/L (low toxicity)

Clomazone Technical:

Freshwater fish: 96-hour LC50 = 34 mg/L (Bluegill sunfish) (slightly toxic)
Estuarine invertebrates: 96-hour LC50 = 8.9 mg/L (Pink shrimp) (moderately toxic)
Estuarine fish: LC50 = 6.3 (Atlantic silverside, moderately toxic)
Estuarine fish: LC50 = 41 mg/L (Sheepshead minnow, slightly toxic)
Estuarine invertebrate: LC50 = 0.57 mg/L (Mysid) (highly toxic)
Waterfowl / Upland game birds: Oral LD50 >2510 mg/kg; Dietary LC50 >5620 ppm (low toxicity)

Care should be taken to avoid contamination of the aquatic environment.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Open dumping or burning of this material or its packaging is prohibited. If spilled material cannot be disposed of by use according to label instructions, an acceptable method of disposal is to incinerate in accordance with local, state and national environmental laws, rules, standards and regulations. However, because acceptable methods of disposal may vary by location and regulatory requirements may change, the appropriate agencies should be contacted prior to disposal.

EMPTY CONTAINER: Non-returnable containers that held this material should be cleaned, prior to disposal, by triple rinsing. Containers which held this material may be cleaned by being triple-

rinsed, and recycled, with the rinsate being incinerated. Do not cut or weld metal containers. Vapors that form may create an explosion hazard.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Not regulated as a hazardous material
PACKAGING TYPE:	Bulk
PROPER SHIPPING NAME:	Environmentally hazardous substance, liquid, n.o.s.
TECHNICAL NAME(S):	Clomazone
PRIMARY HAZARD CLASS / DIVISION:	9
UN/NA NUMBER:	UN 3082
PACKING GROUP:	III
MARINE POLLUTANT:	Clomazone

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Environmentally hazardous substance, liquid, n.o.s.
TECHNICAL NAME(S):	Clomazone
PRIMARY HAZARD CLASS / DIVISION:	9
UN/NA NUMBER:	UN 3082
PACKING GROUP:	III
MARINE POLLUTANT:	Clomazone
ADDITIONAL INFORMATION:	EmS Number: F-A, S-F

ADR - EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Environmentally hazardous substance, liquid, n.o.s.

TECHNICAL NAME(S): Clomazone
PRIMARY HAZARD CLASS / DIVISION: 9
CLASSIFICATION CODE: M6
UN/NA NUMBER: UN3082
PACKING GROUP: III
HAZARD IDENTIFICATION NUMBER: 90
ADDITIONAL INFORMATION: Environmentally Hazardous Substance:
Clomazone

**INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) /
INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA)**

PACKAGING TYPE: Non-Bulk
PROPER SHIPPING NAME: Environmentally hazardous substance,
liquid, n.o.s.
TECHNICAL NAME(S): Clomazone
PRIMARY HAZARD CLASS / DIVISION: 9
UN/NA NUMBER: UN3082
PACKING GROUP: III
ADDITIONAL INFORMATION: Environmentally Hazardous Substance:
Clomazone
When shipped by air within the USA, this product is not regulated as a Marine Pollutant in non-bulk packages and does not require identification as a Marine Pollutant; however, when shipped by air within, to and/or from ADR signatory countries, identification as Marine Pollutant is required.

OTHER INFORMATION:

CANADIAN TRANSPORT (TDG):

PACKAGING TYPE: Bulk & Non-bulk

ADDITIONAL INFORMATION: This material is not a dangerous good as defined by TDG Regulations.

HARMONIZED SYSTEM

Import to the U.S.A.: 3808.93.1500

Export from the U.S.A.: 3808.93.0000

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):

Not listed

SECTION 311 HAZARD CATEGORIES (40 CFR 370):

Immediate, Delayed

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):

The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.:

None

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):

This product contains the following ingredients subject to Section 313 reporting requirements:

Polymeric isocyanate

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT)

CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4):

Not listed

FEDERAL INSECTICIDE FUNGICIDE RODENTICIDE ACT

U.S. EPA Signal Word: CAUTION

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Hazard Classification / Division: D2A
D2B

Domestic Substance List: Not all components listed

HAZARD AND RISK PHRASE DESCRIPTIONS:

EC Symbols: Xn (Harmful)
Xi (Irritant)

EC Risk Phrases: R20/22 (Harmful by inhalation and if swallowed.)
R36 (Irritating to eyes.)
R52 (Harmful to aquatic organisms.)

16. OTHER INFORMATION

NFPA

Health	1
Flammability	1
Reactivity	0
Special	None

No special requirements

NFPA (National Fire Protection Association)

Degree of Hazard Code:

4 = Extreme
3 = High
2 = Moderate
1 = Slight
0 = Insignificant

REVISION SUMMARY:

This MSDS replaces Revision #14, dated January 4, 2010.

Changes in information are as follows:

Section 1 (Product and Company Identification)

Section 14 (Transport Information)

Section 16 (Other Information)

Command, Centium, Cirrus, Gamit, Magister and FMC - FMC Trademarks
Viton - E.I. du Pont de Nemours & Co. Trademark

© 2010 FMC Corporation. All Rights Reserved.

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a

manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.